	MOLOGY) No. 1907/2006 and Regulation (EU) No. 2015/830 SATIN WHITE/CALIBRATE Code: L2-5		
Versio	on: 1 Date of comp	vilation: 16/11/2017	Date of p	inting: 16/11/2017
SECTI	ON 1 : IDENTIFICATION O	OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY	/UNDERTAKING	
1.1	PRODUCT IDENTIFIER:	SATIN WHITE/CALIBRAT Code: L2-5	E	
1.2	Intended uses (main tech Decorative paint. <u>Sectors of use:</u> Consumer uses (SU21). <u>Uses advised against:</u> None. As there is not cla safety guidelines provide	assified as dangerous, this product can be used in ways ot	·	
1.3	CROMOLOGY, S.L. c/ Francia, 7 - P.I. Pla de Phone: +34 93 8494010	PLIER OF THE SAFETY DATA SHEET: Llerona - 08520 - Las Franqueses del Vallès (BCN) 0 - Fax: +34 93 8400161 erson responsible for the safety data sheet: hology.es		
1.4	EMERGENCY TELEPH	ONE NUMBER: +34 93 8494010 (8:00-17:00 h.) (workin	ng hours)	
SECTI	ON 2 : HAZARDS IDENTI	FICATION		
2.1		HE SUBSTANCE_ORMIXTURE: ified as dangerous, in accordance with Regulation (EC) N	o. 1272/2008~605/2014 (CLP)	
	component, but below th	a range of percentages is used, the health and environme ne maximum value. not require a material safety data sheet according to the R		
		ould not present a physicochemical, health safety or envir		
2.2	Hazard statements: None. Precautionary statement P102 P262 P271 P280B P273 Supplementary statement EUH208 Hazardous ingredients:	Keep out of reach of children. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection . Avoid release to the environment.		
2.3	Other physicochemical h Other adverse human he	esult in classification but which may contribute to the overal nazards: No other relevant adverse effects are known ealth effects: No other relevant adverse effects are knowr mental effects: Does not contain substances that fulfil the Pl		

MATERIAL SAFETY DATA SHEET (REACH)

romolog	SATIN WHITE/CALIBRATE Code: L2-5	
CTION 3 : COMPOS	ION/INFORMATION ON INGREDIENTS	-
SUBSTANCES Not applicable	ixture).	
MIXTURES: This product is Chemical desc	mixture.	
HAZARDOUS Substances ta None	<u>GREDIENTS:</u> g part in a percentage higher than the exemption limit:	
Impurities: Does not conta	other components or impurities which will influence the classification of the product.	
None		
Reference to o For more inform	er sections: tion, see sections 8, 11 and 12.	
List updated by	F VERY HIGH CONCERN (SVHC): CHA on 12/01/2017.	
None	C subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006: C candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:	
None		

MATERIAL SAFETY DATA SHEET (REACH)

	MOLOGY	C) No. 1907/2006 and Regulation (EU) No. 2015/830 SATIN WHITE/CALIBRATE							
		Code: L2-5							
4.1 DESCRIPTION OF FIRST-AID MEASURES:									
4.1	DESCRIPTION OF FIRST-AID MEASURES: Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.								
	Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures						
	Inhalation:	Usually produces no symptoms.	Should there be any symptoms, transfer the person affected to the open air.						
	<u>Skin:</u>	Usually produces no symptoms.	Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners.						
	Eyes:	Usually produces no symptoms.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician.						
	Ingestion:	If swallowed in high doses, may cause gastrointestinal disturbances.	If swallowed, seek immediate medical attention. Do not induce vomiting, due to the risk of aspiration. Keep the patient at rest.						
4.2		MPTOMSAND EFFECTS, BOTH ACUTE AND DELAYED: d effects are indicated in sections 4.1 and 11							
4.3	Notes to physician: Tre	IMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT eatment should be directed at the control of symptoms and the c <u>lications:</u> Specific antidote not known.							
SECTI	ON 5 : FIRE-FIGHTING M	IEASURES							
5.1	EXTINGUISHING MEDI In the case of fire in the	A: surroundings, all extinguishing agents are allowed.							
5.2	As consequence of com	RISING FROM THE SUBSTANCE OR MIXTURE: nbustion or thermal decomposition, hazardous products may be osition products may be a hazard to health.	produced: carbon monoxide, carbon dioxide. Exposure to						
5.3	apparatus, gloves, prote a sheltered position or f Other recommendations	orment: Depending on magnitude of fire, heat-proof protective c ective glasses or face masks and boots. If the fire-proof protective from a safe distance. The standard EN469 provides a basic leve	e equipment is not available or is not being used, combat fire from						
SECTI	ON 6 : ACCIDENTAL REL	LEASE MEASURES							
6.1	PERSONAL PRECAUT Avoid direct contact with	TIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCI In this product.	EDURES:						
6.2	ENVIRONMENTAL PRE Avoid contamination of sewages, inform the app	ECAUTIONS: drains, surface or subterranean water and soil. In the case of lan propriate authorities in accordance with local regulations.	rge scale spills or when the product contaminates lakes, rivers or						
6.3		RIAL FOR CONTAINMENT AND CLEANING UP: ills with absorbent materials (sawdust, earth, sand, vermiculite, o ntainer.	diatomaceous earth, etc). Avoid use of solvents. Keep the						
6.4	For information on safe For exposure controls a	ER SECTIONS: In case of emergency, see section 1. handling, see section 7. and personal protection measures, see section 8. disposal, follow the recommendations in section 13.							

	MOLOGY	SATIN WHITE/CALIBRATE Code: L2-5						
SECTIO	SECTION 7 : HANDLING AND STORAGE							
7.1								
7.2	Forbid the entry to una order to avoid leakage <u>Class of storage</u> <u>Maximum storage peri</u> <u>Temperature interval</u> <u>Incompatible materials</u> Keep away from oxidio <u>Type of packaging:</u> According to current le	: min: 5. ºC, max: 40. ºC (recommended). <u>s:</u> xing agents, from strongly alkaline and strongly acid materials.						
7.3	SPECIFIC END USES For the use of this prod	2 duct do not exist particular recommendations apart from that already indicated.						

mology	SATIN WHITE/CALIBRATE Code: L2-5						
ON 8 : EXPOSURE CO	NTROLS/PERSONAL PROTECTION						
CONTROL PARAMETERS: If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assessing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances. OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)							
AGCIH 2014	Year	TLV-TWA	TLV-STEL- Ceiling value.	<u>Remarks</u>			
1,2-benzisothiazol-3(2	H)-one	ppm mg/m3 - 0.10	ppm mg/m3 0.060	Recommended			
TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit. BIOLOGICAL LIMIT VALUES: Not stablished DERIVED NO-EFFECT LEVEL (DNEL): Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.							
Derived no-effect level		DNEL Inhalation	DNEL Cutaneous	DNEL Oral			
- Systemic effects, acu 1,2-benzisothiazol-3(2	te and chronic: H)-one	mg/m3 - (a) - (c)	mg/kg bw/d - (a) - (c)	mg/kg bw/d - (a) - (c)			
Derived no-effect level - Local effects, acute a 1,2-benzisothiazol-3(2	nd chronic: H)-one	DNEL Inhalation mg/m3 - (a) - (c)	DNEL Cutaneous mg/cm2 - (a) - (c)	<u>DNEL Eyes</u> mg/cm2 - (a) - (c)			
Derived no-effect level Systemic effects, acu 1,2-benzisothiazol-3(2	te and chronic:	DNEL Inhalation mg/m3 - (a) - (c)	DNEL Cutaneous mg/kg bw/d - (a) - (c)	<u>DNEL Oral</u> mg/kg bw/d - (a) - (c)			
Derived no-effect level - Local effects, acute a 1,2-benzisothiazol-3(2	general population: nd chronic:	DNEL Inhalation mg/m3 - (a) - (c)	DNEL Cutaneous mg/cm2 - (a) - (c)	DNEL Eyes mg/cm2 - (a) - (c)			
(-) - DNEL not availabl	e (without data of registration REACH).						
PREDICTED NO-EFFE	ECT CONCENTRATION (PNEC):						
	n <u>centration, aquatic organisms:</u> water and intermitent release: H)-one	PNEC Fresh water mg/l	PNEC Marine mg/l -	PNEC Intermittent mg/l			
- Wastewater treatmen marine water: 1,2-benzisothiazol-3(2	nt plants (STP) and sediments in fresh- and H)-one	PNEC STP mg/l -	PNEC Sediments mg/kg dry weight	PNEC Sediments mg/kg dry weight			
	i <u>centration, terrestrial organisms:</u> or predator san d humans: H)-one	PNEC Air mg/m3	PNEC Soil mg/kg dry weight	PNEC Oral mg/kg bw/d			
(-) - PNEC not availabl	e (without data of registration REACH).						

MOLOGY	SATIN WHITE/CALIBRATE Code: L2-5							
EXPOSURE CONTR	OLS:							
â ř	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation good general extraction.							
Protection of hands a	or <u>y system:</u> d <u>face:</u> It is recommended to install water taps or sources with clean water close to the working area. <u>nd skin:</u> It is recommended to install water taps or sources with clean water close to the working area. Barrier creams may help to areas of the skin. Barrier creams should not be applied once exposure has occurred.							
As a general measur corresponding EC ma	OSURE CONTROLS: Directive 89/686/EEC~96/58/EC: e on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the arking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of , marking, category, CEN norm, etc), you should consult the informative brochures provided by the manufacturers of PPE.							
Mask:	No.							
Safety goggles:	Safety goggles with suitable lateral protection (EN166). Clean daily and disinfect at regular intervals in accordance with the instructions of the manufacturer.							
Face shield:	No.							
Gloves:	Gloves resistant against chemicals (EN374). When repeated or prolonged contact with the product is expected, gloves of protection level 5 or higher should be used, with a breakthrough time of >240 min. When short contact with the product is expected, use gloves with a protection level 2 or higher should be used, with a breakthrough time of >240 min. When short contact with the product is expected, use gloves with a protection level 2 or higher should be used, with a breakthrough time >30 min. The breakthrough time of the selected glove material should be in accordance with the pretended period of use. There are several factors (for example, temperature), they do in practice the period of use of a protective gloves resistant against chemicals is clearly lower than the established standard EN374. Due to the wide variety of circumstances and possibilities, the instructions/specification provided by the glove supplier should be taken into account. The gloves should be immediately replaced when any sign of degradation is noted.							
Boots:	No.							
Apron:	No.							
<u>Clothing:</u>	No.							
	roduct is handled at room temperature). XPOSURE CONTROLS: the environment.							
	event contamination of soil. nful to aquatic organisms. May cause long-term adverse effects on the aquatic environment. Do not allow to escape into drains,							

sewers or water courses.
- <u>Water Management Act</u>: This product does not contain any substance included in the list of priority substances in the field of water policy under Directive 2000/60/EC~2013/39/EU.

Emissions to the atmosphere: Not applicable.

دره	MOLOGY	SATIN WHITE/CALIBRATE Code: L2-5					
SECTIO	SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIE S						
	DN 9 : PHYSICAL AND INFORMATION ON B/ Appearance - Physical state - Colour - Odour threshold pH-value - pH Change of state - Melting point - Initial boiling point Density - Vapour density - Vapour density Stability - Decomposition tempt Viscosity: - Viscosity (Krebs-Sto Volatility: - Evaporation rate - Vapour pressure - Vapour pressure - Vapour pressure - Solubility (ies) - Solubility in water: - Liposolubility Flammability: - Flash point - Autoignition temper:	Code: L2-5 D CHEMICAL P ROPERTIE S BASIC PHYSICAL AND CHEMICAL PROPERTIES: : Liquid. : See the colour in the package. : Characteristic : Not available (mixture). : 8.±0.5 at 20°C : Not available : > 100* °C at 760 mmHg : 1.253* at 20/4°C Relative water nperature : tormer) : : 115.±5. KU 20°C : Not available (technical impossibility to obtain the data). : 17.5* mmHg at 20°C : 12.2* kPa at 50°C : Not available (mixture untested). : Not available (mixture untested). : Not applicable (do not sustain combustion).					
	Explosive properties: Not available. Oxidizing properties: Not classified as oxidiz	<u>.</u>					
9.2	OTHER INFORMATIO	<u>ON:</u> : 48.9 % Weight					
	The values indicated of	do not always coincide with product specifications. The data for the product specifications can be found in the correspond For additional information concerning physical and chemical properties related to safety and environment, see sections 7					
SECTIO	ON 10 : STABILITY AND	ID REACTIVITY					
10.1	REACTIVITY: Corrosivity to metals: It Pyrophorical propertie	It is not corrosive to metals. ites: It is not pyrophoric.					
10.2	CHEMICAL STABILITY Stable under recomm	TY:_ mended storage and handling conditions.					
10.3		AZARDOUS REACTIONS: reaction with oxidizing agents, acids.					
10.4	Air: The product is not Pressure: Not relevan Shock: The product is	m sources of heat. vid direct contact with sunlight. ot affected by exposure to air, but should not be left h e containers open.	avoid dents				
10.5	INCOMPATIBLE MATE Keep away from oxidi	TERIALS: dixing agents, from strongly alkaline and strongly acid materials.					
10.6	HAZARDOUS DECOM	OMPOSITION PRODUCTS: hermal decomposition, hazardous products may be produced: carbon monoxide.					

MATERIAL SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

MOLOGY	SATIN WHIT Code: L2-5	E/CALIBRATE				
ION 11 : TOXICOLOGI		N				
perimental toxicological ation method of the Reg	data on the prepa ulation (EC) No. 12	ration is available. The to 272/2008~605/2014 (CL	oxicologi .P).	ical classification for these r	nixture has been carried ou	t by using the conventiona
INFORMATION ON T		EFFECTS:				
ACUTE TOXICITY:						
Dose and lethal conc for individual ingredie Pyrithione zinc 1,2-benzisothiazol-3(ents :			DL50 (OECD 401) mg/kg oral 269. Rat 1020. Rat	<u>DL50</u> (OECD 402) mg/kg cutaneous 3380. Rat > 2000. Rat	CL50 (OECD 403) mg/m3.4h inhalation > 1030. Rat > 2050. Rat
No observed adverse Not available Lowest observed adv Not available INFORMATION ON L	erse effect level	F EX POS URE : Acute to	<u>xicity:</u>			
Routes of exposure		Acute toxicity	Cat.	Main effects, acute and/o	r delayed	
Inhalation: Not classifiedATE > 20000 mg/m3-Not classified as a product with acute toxicity if inhaled (based on av data, the classification criteria are not met).				d (based on available		
Skin: Not classified		ATE > 2000 mg/kg	-	Not classified as a product with acute toxicity in contact with skin (based or available data, the classification criteria are not met). Not classified as a product with acute toxicity by eye contact (lack of data).		
Eves: Not classified		Notavailable	-			
Ingestion: Not classified		ATE > 5000 mg/kg	-	Not classified as a produ data, the classification cri	ct with acute toxicity if swallo teria are not met).	wed (based on available
CORROSION / IRRIT	ATION / SENSITIS	ATION :	1			
Danger class		Target organs	Cat.	Main effects, acute and/o	r delayed	
Respiratory corrosion Not classified	/irritation:	-	-	Not classified as a produ data, the classification cri	ct corrosive or irritant by inh teria are not met).	alation (based on availab
Skin corrosion/irritation Not classified	on:	-	-		ct corrosive or irritant in con fication criteria are not met)	
Serious eye damage. Not classified	<u>irritation:</u>	-	-		ct corrosive or irritant in con fication criteria are not met)	
Respiratory sensitisat Not classified	ion:	-	-	Not classified as a produ the classification criteria a	ct sensitising by inhalation (are not met).	based on available data,
		-	-	Not classified as a produ data, the classification cri	ct sensitising by skin contac	(based on available

Danger class	Target organs	Cat.	Main effects, acute and/or delayed		
Aspiration hazard: Not classified	-	-	Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).		

<u>SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):</u> Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met). <u>CMR EFFECTS:</u> <u>Carcinogenic effects:</u> It is not considered as a carcinogenic product.

<u>Genotoxicity:</u> It is not considered as a mutagenic product. <u>Toxicity for reproduction:</u> Does not harm fertility. Does not harm the unborn child. <u>Effects via lactation:</u> Not classified as a hazardous product for children breast-fed.

DELAYED AND IMMEDIATE EFFECTS AS WELLAS CHRONIC EFFECTS FROM SHORT ANDLONG-TERM E XPOS URE: Routes of exposure: Not available. Short-term exposure: Not available. Long-term or repeated exposure: Not available.

ςιο	CCOMOLOGY SATIN WHITE/CALIBRATE Code: L2-5						
SECTION	SECTION 12 : ECOLOGICAL INFORMATION						
		cal data on the preparation as such is available. ethod of the Regulation (EC) No. 1272/2008~60		ation for these mixture has b	een carried out by using		
12.1	TOXICITY:				1		
	Acute toxicity in aquation for individual ingredier Pyrithione zinc 1,2-benzisothiazol-3(2	nts :	CL50 (OECD 203) mg/196hours 0.0026 Fishes 1.2 Fishes	CE50 (OECD 202) mg/L48hours 0.050 Daphnia 0.85 Daphnia	CE50 (OECD 201) mg/172hours 0.051 Algae 0.37 Algae		
	No observed effect con Not available Lowest observed effect Not available						
12.2	PERSISTENCE AND IN Not available.	DEGRADABILITY:					
	Aerobic biodegradatio for individual ingredier Pyrithione zinc 1,2-benzisothiazol-3(2	nts :	DQO mgO2/g	<u>%DBO/DQO</u> 5 days 14 days 28 days 39.	Biodegradability Noteasy Noteasy		
12.3	BIOACCUMULATIVE F Not available.	POTENTIAL:			1		
	Bioaccumulation for individual ingredier	nts :	logPow	BCF L/kg	<u>Potential</u>		
	Pyrithione zinc 1,2-benzisothiazol-3(2	?H)-one	0.900 0.640	3.2 (calculated) 3.2 (calculated)	Not available Not available		
12.4	MOBILITY IN SOIL: Not available.						
12.5		ID VPVBASSESMENT: Annex XIII of Regulat tances that fulfil the PBT/vPvB criteria.	ion (EC) no. 1907/2006:				
12.6	Earth global warming						
SECTIO	DN 13 : DISPOSAL COI	NSIDERATIONS					
13.1							

دره	നരശംഗ	SATIN WHITE/CALIBRATE Code: L2-5					
SECTIO	ON 14 : TRANSPORT I	NFORMATION					
14.1	UN NUMBER: Not app	plicable					
14.2		NG NAME: Not applicable					
14.3	TRANSPORT HAZAR	D CLASS(ES) AND PACKING GROUP:					
14.4	Transport by road (AD Transport by rail (RID)	0R 2015) and 2015):					
	Not regulated						
	Transport by sea (IMD Not regulated	<u>G 37-14):</u>					
	Transport by air (ICAC Not regulated	D/IATA 2015):					
	<u>Transport by inland wa</u> Free.	aterways (ADN):					
14.5	ENVIRONMENTAL HA	AZARDS:					
14.6	SPECIAL PRECAUTION Ensure that persons to position.	ONS FOR USER: ransporting the product know what to do in case of accident or spill. Always transport in closed containers in a v	ertical and secure				
14.7	TRANSPORT IN BULI Not applicable.	KACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE:					
SECTIO	DN 15 : REGULATORY	INFORMATION					
15.1	EU SAFETY, HEALTH The regulations applic	AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: cable to this product generally are listed throughout this material safety data sheet.					
	Restrictions on manufa	acture, placing on market and use: See section 1.2					
	Control of the risks inh	erent in major accidents (Seveso III): See section 7.2					
	Tactile warning of dan	ger: Not applicable (the classification criteria are not met).					
	Child safety protection	$\underline{:}$ Not applicable (the classification criteria are not met).					
	VOC information on th Contains VOC max. 0	<u>ne label:</u> .1 g/l - The limit value 2004/42/CE-IIA œt b) for the product rea dyfor u œ is VOC max.100.g <i>l</i> (2010).					
	OTHER REGULATION						
15.2	CHEMICAL SAFETY A	ASSESSMENT: essment has not been carried out for this mixture.					

CLO	MOLOGY	SATIN WHITE/CALIBRATE Code: L2-5						
SECTIO	SECTION 16 : OTHER INFORMATION							
16.1	TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3: Not applicable.							
	ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS: It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of material safety data sheets and labelling of products as well.							
	MAIN LITERATURE RI	EFERENCES AND SOURCES FOR DATA:						
		s Agency: ECHA, http://echa.europa.eu/ Union Law, http://eur-lex.europa.eu/ es, (AGCIH, 2014).						
	ABBREVIATIONS AND List of abbreviations and	<u>D ACRONYMS :</u> nd acronyms that can be used (but not necessarily used) in this material safety data sheet:						
	GHS: Globally Harmony CLP: European regures EINECS: European I ELINCS: European L CAS: Chemical Abstr UVCB: Substances or SVHC: Substances or PBT: Persistent, bioar vPvB: Very persisten VOC: Volatile Organ VOC: Volatile Organ	ccumulable and toxic substances. t and very bioaccumulable substances. ic Compounds.						
	 LD50: Lethal dose, 5 LC50: Lethal concent UN: United Nations C 	-Effect Concentration (REACH). 0 percent. tration, 50 percent. Organisation.						
	 ADR: European agreement concerning the international carriage of dangeous goods by road. RID: Regulations concerning the international transport of dangeous goods by rail. IMDG: International Maritime code for Dangerous Goods. IATA: International Air TransportAssociation. ICAO: International Civil Aviation Organization. 							
	MATERIAL SAFETY DATA SHEET REGULATIONS: Material Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No. 2015/830. HISTORIC: Date of compilation:							
	Version: 1 16/11/2017							
The info	ormation of this Material	I Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the us	ers' working					

conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.